

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/085,010	03/01/2002	Pekka Kostiainen	042933/301626	1138
826 7590 10/12/2007 ALSTON & BIRD LLP			: EXAMINER	
	ERICA PLAZA	PHU, SANH D		
	RYON STREET, SUIT NC 28280-4000	E 4000	ART UNIT	PAPER NUMBER
			2618	
			MAIL DATE	DELIVERÝ MODE
			10/12/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)			
		10/085,010	KOSTIAINEN ET AL.			
	Office Action Summary	Examiner	Art Unit			
	,	Sanh D. Phu	2618			
Period fo	The MAILING DATE of this communication apport	pears on the cover sheet with the	correspondence address			
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR REPLEHEVER IS LONGER, FROM THE MAILING DOTS IN THE MAILIN	ATE OF THIS COMMUNICATIO (36(a). In no event, however, may a reply be ti will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONI	N. mely filed n the mailing date of this communication. ED (35 U.S.C. § 133).			
Status						
2a)	 ✓ Responsive to communication(s) filed on <u>25 September 2007</u>. ✓ This action is FINAL. 2b) ✓ This action is non-final. 					
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Dispositi	on of Claims					
5)⊠ 6)⊠ 7)⊠	Claim(s) <u>12-31</u> is/are pending in the application 4a) Of the above claim(s) is/are withdray Claim(s) <u>23</u> is/are allowed. Claim(s) <u>12,15-19,22,24,25,27-29 and 31</u> is/are Claim(s) <u>13,14,20,21,26,30</u> is/are objected to. Claim(s) are subject to restriction and/or	wn from consideration. re rejected.				
Applicati	on Papers					
10)□	The specification is objected to by the Examine The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Example 1.	epted or b) objected to by the drawing(s) be held in abeyance. Setion is required if the drawing(s) is old	ee 37 CFR 1.85(a). pjected to. See 37 CFR 1.121(d).			
Priority u	ınder 35 U.S.C. § 119					
12) [a)[Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureasee the attached detailed Office action for a list	ts have been received. ts have been received in Applicat rity documents have been receiv u (PCT Rule 17.2(a)).	tion No red in this National Stage			
Attaches						
	e of References Cited (PTO-892)	4) Interview Summan				
3) Inform	e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	Paper No(s)/Mail D 5) Notice of Informal I 6) Other:				

Application/Control Number: 10/085,010 Page 2

Art Unit: 2618

DETAILED ACTION

1. This Office Action is responsive to the Amendment filed on 9/25/07.

Accordingly, claims 12-31 are currently pending; and claims 1-11, 32 and 33 are canceled.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35
 U.S.C. 102 that form the basis for the rejections under this section made in this
 Office action:

A person shall be entitled to a patent unless -

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
- 3. Claims 12, 15-19, 22, 24, 25, 27-29 and 31 are rejected under 35 U.S.C. 102(a) as being anticipated by Lindholm (EP 1091540), newly-cited.
- -Regarding claim 12, see figures 2-4, 10-12, and page 3, lines 19-48, page 4, line 51 to page 6, line 2), Lindholm discloses a method of operating electrical circuitry (comprising IDENTIFICATION (10) or (20)) (see figures 2 and 10) included in an user exchangeable cover part (21 or 22)

Art Unit: 2618

(see figures 3 and 4) for supporting a user interface of a wireless terminal (comprising (18, 19) (see figure 2)), the user interface comprising a display screen device (3, 13) (see figure 2), (considered here equivalent with the limitation "display screen"), the wireless communication terminal and the user exchangeable cover part being electrically interconnected by means of an electrical connector (see (23, 25) of figure 10), the method comprising:

procedure (comprising (18, 20)) of identifying a type of the user exchangeable cover part (see (203, 205) of figure 12, and page 5, line 42 to page 6, line 2); and

procedure of (comprising (18, 20)) of operating the electrical circuitry of the user exchangeable cover part in dependence upon the identification of the user exchangeable cover part (see (206) of figure 12, and page 5, line 42 to page 6, line 2);

wherein the electrical circuitry that is operated in dependence upon the identification of the user exchangeable cover part comprises circuitry (31) (see figure 11) for supporting the user interface of the wireless terminal and circuitry (32, 33, 37, 38, 39) (see figure 11) in addition to or other than

Art Unit: 2618

circuitry (13) (see figure 2) included within the display screen device (3, 13) (see (203, 205, 204) of figure 12, page 5, line 3 to page 6, line 2).

-Regarding claim 15, as similarly applied to claim 12 set forth above and herein incorporated, see figures 2-4, 10-12, and page 3, lines 19-48, page 4, line 51 to page 6, line 2), Lindholm discloses a wireless communication terminal including an user exchangeable cover part (21 or 22) (see figures 3 and 4) and a display screen device (3, 13) (see figure 2), wherein the wireless communication terminal (comprising (18, 19) (see figure 2)), and user exchangeable cover part are electrically interconnected by means of a electrical connector (see (23, 25) of figure 10) wherein:

the user exchangeable cover part comprises an identification means (comprising (31) (see figure 11) (see figure 11) for identifying the cover part, and electrical circuitry (32, 33, 37, 38, 39) (see figure 11) for supporting a user interface of the wireless terminal, the electrical circuitry comprising circuitry (32, 33, 37, 38, 39) in addition to or other than electrical circuitry included within the display screen (3, 13) (see (203, 205, 204) of figure 12, page 5, line 3 to page 6, line 2);

the wireless terminal identifies the user exchangeable cover part by detecting the identification means (see (203, 205) of figure 12, and page 5, line 42 to page 6, line 2); and

the wireless terminal operates the electrical circuitry of the user exchangeable cover part, including the circuitry (18) (see figure 2) for supporting the user interface, in dependence of the identification means of the user exchangeable cover part (see (206) of figure 12, and page 5, line 42 to page 6, line 2).

- -Regarding claim 16, Lindholm discloses that the connector includes a plurality of connector pins (24) arranged in line and separated by an equal distance (see figure 10, and pages 4, lines 51-58).
- -Regarding claim 17, in Lindholm, the connector pins are arranged inherently at a rear side of the cover part so that they are not seen in the front side of the cover part (see figure 3 or 4).
- -Regarding claim 18, Lindholm discloses that a number of the connector pins is three (see figure 10).
 - -Regarding claim 19, Lindholm discloses that the total number of the

Art Unit: 2618

connector pins is 6 (see col. 4, lines 52-58), (the total number of the connector pins considered here encompassing the limitation "a number of the connector pins is 5).

-Regarding claim 22, as similarly applied to claims 12, 15–19, set forth above and herein incorporated, see figures 2–4, 10–12, and page 3, lines 19–48, page 4, line 51 to page 6, line 2), Lindholm discloses a user exchangeable cover part (21 or 22) (see figures 3 and 4) for releasable attachment to a wireless communication terminal (comprising (18, 19) (see figure 2)), the wireless terminal comprising a user interface including a display screen (3, 13) (see figure 2), comprising:

an electrical connector part (see (23, 25) of figure 10) for electrically connecting to the wireless communication terminal in an attached position including identification means for identifying the cover part; and

electrical circuitry (20) (see figure 10) for supporting the user interface of the wireless terminal, the electrical circuitry comprising circuitry (31, 32, 33, 37, 38, 39) in addition to or other than electrical circuitry (13) (see figure 2) included within the display screen (3, 13);

Art Unit: 2618

wherein the user exchangeable cover part allows the wireless communication terminal to operate the electrical circuitry of the user exchangeable cover part, including the electrical circuitry for supporting the user interface, in dependence upon the identification means of the user exchangeable cover part (see (206) of figure 12, and page 5, line 42 to page 6, line 2).

-Regarding claim 24, as similarly applied to claims 12, 15–19, 22, set forth above and herein incorporated, see figures 2–4, 10–12, and page 3, lines 19–48, page 4, line 51 to page 6, line 2,. Lindholm discloses an exchangeable cover part (21 or 22) (see figures 3 and 4) for releasable attachment to a wireless communication terminal (comprising (18, 19) (see figure 2)) comprising:

a user input device (comprising (2)) (see figure 3 or 4);

electrical circuitry (20) (see figure 10) for detecting, that the exchangeable cover part is properly mounted on the wireless communication terminal, by receiving a request from (18) of the wireless communication terminal (see (202, 203) of figure 12), namely, by then the user input device is

Art Unit: 2618

properly mounted on the wireless communication terminal and in cooperating with respective ones of the a plurality of switches (see col. 2, lines 23–34), the electrical circuitry further producing a signal "ID RESPONSE", (see (205) of figure 12), indicative of the exchangeable cover part properly mounted on the wireless communication terminal, or namely, indicative of the user input device in properly cooperating with the respective ones of the a plurality of switches since the user input device is uniquely associated with the exchangeable cover part (see figure (3) or (4)), (the electrical circuitry considered here equivalent with the limitation "electrical circuitry for detecting operation of the user input device for producing a signal indicative of the detected operation of the user input device"); and

an electrical connector (see (23, 25) of figure 10) for electrically connecting the electrical circuitry to the wireless communication terminal, wherein the electrical connector is configured to transmit the signal ("RESPONSE" or "ID RESPONSE") (see (203, 205) of figure 12) to the wireless communication terminal.

-Regarding claim 25, Lindholm discloses that the user input device

comprises a keypad (2) (see figure 3 or 4).

-Regarding claim 27, as applied to claim 24, Lindholm discloses that the electrical circuitry comprises a processor (31) for processing the detected operation of the user input device and for outputting the signal indicative of the detected operation of the user input device (see figure 11).

-Regarding claim 28, Lindholm discloses that the electrical connector comprises a plurality of connector pins (see (24) of figure 10).

-Regarding claim 29, as similarly applied to claims 12, 15–19, 22, 24, 25, 27, 28, set forth above and herein incorporated, see figures 2–4, 10–12, and page 3, lines 19–48, page 4, line 51 to page 6, line 2), Lindholm discloses an exchangeable cover part (21 or 22) (see figures 3 and 4) for releasable attachment to a wireless communication terminal (comprising (18, 19) (see figure 2)) comprising:

electrical circuitry (20) (see figure 10) for supporting a user interface of the wireless communication terminal; and

an electrical connector (see (23, 25) of figure 10) for transmitting data between the electrical circuitry and the wireless communication terminal;

Application/Control Number: 10/085,010 Page 10

Art Unit: 2618

wherein the electrical circuitry comprises a memory device (33) (see figure 11) containing data to be downloaded to the wireless communication terminal via the electrical connector.

-Regarding claim 31, Lindholm discloses that the electrical circuitry comprises a processor (31) (see figure 11) configured to process data contained in the memory device.

Allowable Subject Matter

- 4. Claim 23 is allowed.
- 5. Claims 13, 14, 20, 21, 26 and 30 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

6. Applicant's arguments filed on 9/25/07 have been fully considered. As results, claims 13, 14, 20, 21, 13, 26 and 30 are indicated allowable as set forth above. Claims 12, 15–19, 22, 24, 25, 27–29 and 31 are deemed not allowable because of reasons set forth above in this Office Action.

Application/Control Number: 10/085,010 Page 11

Art Unit: 2618

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sanh D. Phu whose telephone number is (571)272–7857. The examiner can normally be reached on M-Fr from 8:00–16:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew D. Anderson can be reached on (571) 272–4177. The fax phone number for the organization where this application or proceeding is assigned is 571–273–8300.

Art Unit: 2618

Page 12

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866–217–9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800–786–9199 (IN USA OR CANADA) or 571–272–1000.

Sanh D Phu
Primary Examiner
Art Unit 2618

SP

10/02/07 f Xplu